

Reference List

Journals and Book chapters

1. Bipolar cell gap junctions serve major signaling pathways in the human retina. Kántor,O, Varga,A, **Nitschke,R**, Naumann,A, Énzöly,A, Lukáts,Á, Szabó,A, Németh,J, Völgyi,B. **Brain Struct Funct.** (2017) doi: 10.1007/s00429-016-1360-4.
2. Hoernstein,S.N., Mueller,S.J., Fiedler,K., Schuelke,M., Vanselow,J.T., Schuessle,C., Lang,D., **Nitschke,R.**, Igloi,G.L., Schlosser,A., Reski,R. Identification of Targets and Interaction Partners of Arginyl-tRNA Protein transferase in the moss *Physcomitrella patens*. **Mol Cell Proteomics.** 15(6): (2016) 1808-22.
3. Kántor,O., Mezey,S., Adeghate,J., Naumann,A., **Nitschke,R.**, Énzöly,A., Szabó,A., Lukáts,Á., Németh,J., Somogyvári,Z., Völgyi,B. Calcium buffer proteins are specific markers of human retinal neurons. **Cell Tissue Res.** 365(1): (2016) 29-50. doi: 10.1007/s00441-016-2376-z.
4. Schmitt-Graeff,A.H., **Nitschke,R.**, Zeiser,R. The hematopoietic niche in myeloproliferative neoplasms. **Mediators Inflamm.** 2015:347270 (2015) doi : 10.1155/2015/347270.
5. Pasternak,T., Tietz,O., Rapp,K., Begheldo,M., **Nitschke,R.**, Ruperti,B., Palme,K. Protocol: an improved and universal procedure for whole-mount immunolocalization in plants. **Plant Methods.** 28;11:50 (2015), doi: 10.1186/s13007-015-0094-2.
6. Boehlke,C., Janusch,H., Hamann,C., Powelske C, Mergen,M., Herbst,H., Kotsis,F., **Nitschke,R.**, Kuehn,E.W. A cilia independent role of Ift88/Polaris during cell migration. **PLoS One.** 10 (2015), doi: 10.1371/journal.pone.0140378.
7. Jünger,F., Kohler,F., Meinel,A., Meyer,T., **Nitschke,R.**, Erhard,B., Rohrbach,A. Measuring local viscosities near plasma membranes of living cells with photonic force microscopy. **Biophys J.** 109(5) (2015), 869-82.
8. Proksch,S., Bittermann,G., Vach,K., **Nitschke,R.**, Tomakidi,P., Hellwig, E. hMSC-derived VEGF release triggers the chemo-attraction of alveolar osteoblasts. **Stem Cells** 33(10) (2015), 3114-24.
9. Kantor,O., Benko,Z., Enzsoly,A., David,C., Naumann,A., **Nitschke,R.**, Szabo,A., Palfi,E., Orban,J., Nyitrai,M., Nemeth,J., Szel,A., Lukats,A., and Volgyi,B.. Characterization of connexin36 gap junctions in the human outer retina. **Brain Struct. Funct.** 221(6):2963-84, (2015), , doi:10.1007/s00429-015-1082-z.
10. Schachtrup,C., Ryu,J.K., Mammadzada,K., Khan,A.S., Carlton,P.M., Perez,A., Christian,F., Le,M.N., Vagena,E., Baeza-Raja,B., Rafalski,V., Chan,J.P., **Nitschke,R.**, Houslay,M.D., Ellisman,M.H., Wyss-Coray,T., Palop,J.J., and Akassoglou,K. Nuclear pore complex remodeling by p75 cleavage controls TGF-beta signaling and astrocyte functions. **Nat. Neurosci.** 18(8) (2015), 1077-80.
11. Thien,A., Prentzell,M.T., Holzwarth,B., Kläsener,K., Kuper,I., Boehlke,C., Sonntag,A.G., Ruf,S., Maerz,L., **Nitschke,R.**, Grellscheid,S.N., Reth,M., Walz,G., Baumeister,R., Neumann-Haefelin,E., Thedieck,K. TSC1 Activates TGF- β -Smad2/3 Signaling in growth arrest and epithelial-to-mesenchymal transition. **Dev Cell.** 9; 32(5) (2015), 617-630.
12. Kántor,O., Varga,A., Tóth,R., Énzöly,A., Pálfi,E., Kovács-Öller,T., Nitschke,R., Szél,Á., Székely,A., Völgyi,B., Négyessy,L., Somogyvári,Z., Lukáts,Á. Stratified organization and

- disorganization of inner plexiform layer revealed by TNAP activity in healthy and diabetic rat retina. *Cell Tissue Res.* 359, (2015), 409-421.
13. Kántor,O., Varga,A., Kovács-Öller,T., Énzsöly,A., Balogh,L., Baksa,G., Szepessy,Z., Fonta,C., Roe,A.W., **Nitschke,R.**, Szél,Á., Négyessy,L., Völgyi,B., Lukáts,Á. TNAP activity is localized at critical sites of retinal neurotransmission across various vertebrate species. *Cell Tissue Res.* 358, (2014), 85-98.
 14. Thedieck,K., Holzwarth,B., Prentzell,M-T., Boehlke,C., Kläsener,K., Ruf,S., Sonntag,A. G., Maerz,G., Grellscheid, S-N., Kremmer,E., **Nitschke,R.**, Kuehn,E.W., Jonker,J.W., Groen,A.K., Reth,M., Hall,M.N., Baumeister,R. Inhibition of mTORC1 by Astrin and stress granules prevents apoptosis in cancer cells *Cell* 15;154(4) (2013), 859-874.
 15. Boehlke,C., Kotsis,F., Buchholz,B., Powelske,C., Eckardt,K.U., Walz,G., **Nitschke,R.**, Kuehn,E.W. Kif3a Guides Microtubular Dynamics, Migration and Lumen Formation of MDCK Cells. *PLoS One* 8(5):e62165 (2013), doi: 10.1371/journal.pone.0062165.
 16. Song,S., Eckerle,S., Onichtchouk,D., Marrs,J.A., **Nitschke,R.**, Driever,W. Pou5f1-dependent EGF expression controls e-cadherin endocytosis, cell adhesion and zebrafish epiboly movements. *Dev Cell* 11, 24(5) (2013), 486-501.
 17. Ronneberger,O., Liu,K., Rath,M., Ruebeta,D., Mueller,T., Skibbe,H., Drayer,B., Schmidt,T., Filippi,A., **Nitschke,R.**, Brox,T., Burkhardt,H., and Driever,W. ViBE-Z: a framework for 3D virtual colocalization analysis in zebrafish larval brains. *Nature Methods* 17, 9(7) (2012), 735-42.
 18. Schmitt-Graeff,A.H., Duerkop,H., Vollmer-Kary,B., Haxelmans,S., **Nitschke,R.**, Fisch,P., Germing,U., and Stein,H. Clonal relationship between langerhans cell histiocytosis and myeloid sarcoma. *Leukemia* 26 (2012), 1707-1710.
 19. Yuan,Y., Riehle,F., Nitschke,R., Krüger, M. Highly photoluminescent and photostable CdSe quantum dot–nylon hybrid composites for efficient light conversion applications, *Materials Science and Engineering B* 177 (2011), 245 -250.
 20. Novak,I., Wang,J., Henriksen,K.L., Haanes,K.A., Krabbe,S., **Nitschke,R.**, Hede,S.E. Pancreatic bicarbonate secretion: a case for two proton pumps. *J.Biol.Chem.*, 286(1) (2011), 280-289.
 21. Tay,T.L., Ronneberger,O., Ryu,S., **Nitschke,R.**, Driever,W. Analysis of the Catecholaminergic projectome reveals integration of ascending and descending dopaminergic systems in Zebrafish, *Nat. Comm.* 2 (2011), 171 doi:10.1038 /ncomms1171.
 22. Lienkamp,S., Ganner,A., Boehlke,C., Schmidt,T., Arnold,S., Schäfer,T., Romaker,D., Schuler,J., Hoff,S., Powelske,C., Eifler,A., Krönig,C., Bullerkotte,A., **Nitschke,R.**, Kuehn,E.W., Kim,E., Burkhardt,H., Brox,T., Ronneberger,O., Gloy,J., Walz,G. Inversin relays Frizzled-8 signals to promote proximal pronephros development, *Proc.Natl.Acad.Sci.U.S.A*, 107(47) (2010), 20388-20393.
 23. Boehlke,C., Kotsis,F., Patel,V., Voelker,H., Bredt,S., Beyer,T., Müller,K., Herbst,M., Hornung,M., Doerken,M., Köttgen,M., **Nitschke,R.**, Igarashi,P., Walz,G. Kuehn,E.W. Primary cilia regulate mTORC1 activity and cell size through Lkb1, *Nat.Cell.Bio.*, 11 (2010), 1115-1122.
 24. Resch-Genger,U., Grabolle,M., **Nitschke,R.**, Nann,T. Nanocrystals and nanoparticles vs. molecular fluorescent labels as reporters for bioanalysis and the life sciences - A critical comparison, *Advanced Fluorescence Reporters in Chemistry and Biology II in*

- Springer Series on Fluorescence Methods and Applications** Chapt. 9, Springer (2010), 3-40.
25. Boehlke,C., Bashkurov,M., Buescher,A., John,A.K., Krick,T., **Nitschke,R.**, Walz,G. Kuehn,E.W. Differential role of Rabs in ciliary trafficking: Rab23 regulates Smoothened levels, **J.Cell Science**, 123 (2010), 1460-1467.
 26. Emmenlauer,M., Ronneberger,O., Ponti,A., Schwarb,P., Griffa,A., Filippi,A., **Nitschke,R.**, Driever,W., Burkhardt,H. XuvTools: Free, fast and reliable stitching of large 3D datasets. **J.Microsc.**, 233 (2009), 42-60.
 27. Gao,H., Sellin,L., Irmgrund,M., Nickel,Ch., **Nitschke,R.**, Walz,G., Kramer-Zucker,A. A short carboxy-terminal domain of polycystin-1 reorganizes the endoplasmic reticulum. **Exp.Cell Res.**, 315(7) (2009), 1157-1170.
 28. Wegierski,T., Steffl,D., Kopp,C., Tauber,R., Buchholz,B., **Nitschke,R.**, Kuehn,E.W., Walz,G., Köttgen,M. TRPP2 channels regulate apoptosis via the Ca²⁺ concentration in the endoplasmic reticulum. **EMBO J.**, 28(5) (2009), 490-499.
 29. Ditengou,F.A., Teale,W.D., Kochersperger,P., Flittner,K.A., Kneuper,I., van der Graaff,E., Nziengui,H., Pinosa,F., Li,X., **Nitschke,R.**, Laux,T., Palme,K. Mechanical induction of lateral root initiation in Arabidopsis thaliana. **Proc.Natl.Acad.Sci.U.S.A**, 105 (2008), 18818-18823.
 30. Kotsis,F., **Nitschke,R.**, Doerken,M., Walz,G., Kuehn,E.W. Flow modulates centriole movements in tubular epithelial cells. **Pflugers Arch.**, 456 (2008), 1025-1035.
 31. Kottgen,M., Buchholz,B., Garcia-Gonzalez,M.A., Kotsis,F., Fu,X., Doerken,M., Boehlke,C., Steffl,D., Tauber,R., Wegierski,T., **Nitschke,R.**, Suzuki,M., KramerZucker,A., Germino,G.G., Watnick,T., Prenen,J., Nilius,B., Kuehn,E.W., Walz,G. TRPP2 and TRPV4 form a polymodal sensory channel complex. **J.Cell Biol.**, 182 (2008), 437-447.
 32. Hoffmann,K., Resch-Genger,U., **Nitschke,R.** Comparability of fluorescence microscopy data and need for instrument characterization of spectral scanning microscopes in **Standardization and Quality Assurance in Fluorescence Measurements II, Springer Series on Fluorescence** Chapt. 6, Springer (2008), 89-116.
 33. Kurz,H., Fehr,J., **Nitschke,R.**, Burkhardt,H. Pericytes in the mature chorioallantoic membrane capillary plexus contain desmin and alpha-smooth muscle actin: relevance for non-sprouting angiogenesis. **Histochem.Cell Biol.**, 130 (2008), 1027-1040.
 34. Lichtenauer,U.D., Shapiro,I., Geiger,K., Quinkler,M., Fassnacht,M., **Nitschke,R.**, Ruckauer,K.D., Beuschlein,F. Side population does not define stem cell-like cancer cells in the adrenocortical carcinoma cell line NCI h295R. **Endocrinology**, 149 (2008), 1314-1322.
 35. Resch-Genger,U., Grabolle,M., Cavaliere-Jaricot,S., **Nitschke,R.**, Nann,T. Quantum dots versus organic dyes as fluorescent labels. **Nat.Methods**, 5 (2008), 763-775.
 36. Urban,C., Rheme,C., Maerz,S., Berg,B., Pick,R., **Nitschke,R.**, Borner,C. Apoptosis induced by Semliki Forest virus is RNA replication dependent and mediated via Bak. **Cell Death.Differ.**, 15 (2008), 1396-1407.
 37. Duefer,M., Haspel,D., Krippeit-Drews,P., Kelm,M., Ranta,F., **Nitschke,R.**, Ullrich,S., Aguilar-Bryan,L., Bryan,J., Drews,G. The K_{ATP} channel is critical for calcium sequestration into non-ER compartments in mouse pancreatic beta cells. **Cell.Physiol.Biochem.**, 20 (2007), 65-74.

38. Kotsis,F., **Nitschke,R.**, Boehlke,C., Bashkurov,M., Walz,G., Kuehn,E.W. Ciliary calcium signaling is modulated by kidney injury molecule-1 (Kim1). *Pflugers Arch.*, 453(6) (2007), 819-829.
39. Schmitt-Graeff,A., Koeninger,A., Olschewski,M., Haxelmans,S., **Nitschke,R.**, Bochaton-Piallat,M.L., Lifschitz-Mercer,B., Gabbiani,G., Langbein,L., Czernobilsky,B. The Ki67+ proliferation index correlates with increased cellular retinol-binding protein-1 and the coordinated loss of plakophilin-1 and desmoplakin during progression of cervical squamous lesions. *Histopathology*, 51 (2007), 87-97.
40. Ellertsdottir,E., Ganz,J., Durr,K., Loges,N., Biemar,F., Seifert,F., Ettl,A.K., Kramer-Zucker,A.K., **Nitschke,R.**, Driever,W. A mutation in the zebrafish Na,K-ATPase subunit atp1a1a.1 provides genetic evidence that the sodium potassium pump contributes to left-right asymmetry downstream or in parallel to nodal flow. *Dev.Dyn.*, 235 (2006), 1794-1808.
41. Epting,T., Hartmann,K., Sandqvist,A., **Nitschke,R.**, Gordjani,N. Cyclosporin A stimulates apical Na⁺/H⁺ exchange in LLC-PK1/PKE20 proximal tubular cells. *Pediatr.Nephrol.*, 21 (2006), 939-946.
42. Kuppig,S., **Nitschke,R.** A fusion tag enabling optical marking and tracking of proteins and cells by FRET-acceptor photobleaching. *J.Microsc.*, 222 (2006), 15-21.
43. Schermer,B., Ghenoiu,C., Bartram,M., Muller,R.U., Kotsis,F., Hohne,M., Kuhn,W., Rapka,M., **Nitschke,R.**, Zentgraf,H., Fliegau,M., Omran,H., Walz,G., Benzing,T. The von Hippel-Lindau tumor suppressor protein controls ciliogenesis by orienting microtubule growth. *J.Cell Biol.*, 175 (2006), 547-554.
44. Schmitt-Graeff,A., Jing,R., **Nitschke,R.**, Desmouliere,A., Skalli,O. Synemin expression is widespread in liver fibrosis and is induced in proliferating and malignant biliary epithelial cells. *Hum.Pathol.*, 37 (2006), 1200-1210.
45. Kayser,G., Gerlach,U., Walch,A., **Nitschke,R.**, Haxelmans,S., Kayser,K., Hopt,U., Werner,M., Lassmann,S. Numerical and structural centrosome aberrations are an early and stable event in the adenoma-carcinoma sequence of colorectal carcinomas. *Virchows Arch.*, 447 (2005), 61-65.
46. Putz,G., Schmider,W., **Nitschke,R.**, Kurz,G., Blum,H.E. Synthesis of phospholipid conjugated bile salts and the suitability of bile salt coated liposomes for interaction with cultured hepatocytes. *J Lipid Res*, 46 (2005), 2325-2338.
47. Resch-Genger,U., Hoffmann,K., Nietfeld,W., Engel,A., Neukammer,J., **Nitschke,R.**, Ebert,B., Macdonald,R. How to improve quality assurance in fluorometry: Fluorescence-inherent sources of error and suited fluorescence standards. *J.Fluoresc.*, 15 (2005), 337-362.
48. Schmitt-Graeff,A., Ertelt,V., Allgaier,H.-P., Olschewski,M., **Nitschke,R.**, Haxelmans,S., Koelble,K., Behrens,J., Blum,H.E. Co-ordinated expression of cyclin D1 and LEF-1/TCF transcription factor is restricted to a subset of hepatocellular carcinoma. *Liver Int*, 25 (2005), 839-847.
49. Ullrich,S., Berchtold,S., Ranta,F., Seebom,G., Henke,G., Lupescu,A., Mack,A.F., Chao,C.M., Su,J., **Nitschke,R.**, Alexander,D., Friedrich,B., Wulff,P., Kuhl,D., Lang,F. Serum- and Glucocorticoid-Inducible Kinase 1 (SGK1) Mediates Glucocorticoid-Induced Inhibition of Insulin Secretion. *Diabetes*, 54 (2005), 1090-1099.

50. Zaha,V., **Nitschke,R.**, Gobel,M.D., Fischer-Rasokat,U., Doenst,T. Discrepancy between GLUT4 translocation and Glucose uptake after Ischemia. *Mol.Cell.Biochem.*, 278 (2005), 129-137.
51. Bauer,D., Viczian,A., Kircher,S., Nobis,T., **Nitschke,R.**, Kunkel,T., Panigrahi,K.C., Adam,E., Fejes,E., Schafer,E., Nagy,F. Constitutive photomorphogenesis 1 and multiple photoreceptors control degradation of phytochrome interacting factor 3, a transcription factor required for light signaling in Arabidopsis. *Plant Cell*, 16 (2004), 1433-1445.
52. Heitzmann,D., Grahammer,F., von,H.T., Schmitt-Gräff,A., Romeo,E., **Nitschke,R.**, Gerlach,U., Lang,H.J., Verrey,F., Barhanin,J., Warth,R. Heteromeric KCNE2/KCNQ1 potassium channels in the luminal membrane of gastric parietal cells. *J.Physiol*, 561 (2004), 547-557.
53. Köttgen,M., Löffler,T., Jacobi,C., **Nitschke,R.**, Pavenstädt,H., Schreiber,R., Frische,S., Nielsen,S., Leipziger,J. P2Y6 receptor mediates colonic NaCl secretion via differential activation of cAMP-mediated transport. *J.Clin.Invest.*, 111 (2003), 371-379.
54. Schmitt-Gräff,A., Ertelt,V., Allgaier,H.-P., Koelble,K., Olschewski,M., **Nitschke,R.**, Bochaton-Piallat,M.-L., Blum,H.E., Gabbiani,G. Cellular Retinol-Binding Protein-1 in hepatocellular carcinoma correlates with b-Catenin, Ki-67index and patient survival. *Hepatology*, 38 (2003), 470-480.
55. Kerst,G., Brousos,H., Schreiber,R., **Nitschke,R.**, Hug,M.J., Greger,R., Bleich,M. The oxidant thiomersal modulates gating behaviour of KCNQ1 by interaction with the channel outer shell. *J.Membr.Biol.*, 186 (2002), 89-100.
56. Novak,I., **Nitschke,R.**, Amstrup,J. Purinergic receptors have different effects in rat exocrine pancreas. Calcium signals monitored by Fura-2 using confocal microscopy. *Cell.Physiol.Biochem.*, 12 (2002), 83-92.
57. Warth,R., Garcia Alzamora,M., Kim,J.K., Zdebik,A., **Nitschke,R.**, Bleich,M., Gerlach,U., Barhanin,J., Kim,S.J. The role of KCNQ1/KCNE1 K⁺ channels in intestine and pancreas: lessons from the KCNE1 knockout mouse. *Pflugers Arch.*, 443 (2002), 822-828.
58. Grahammer,F., Herling,A.W., Lang,H.J., Schmitt-Gräff,A., Wittekind,O.H., **Nitschke,R.**, Bleich,M., Barhanin,J., Warth,R. The cardiac K⁺ Channel KCNQ1 is essential for gastric acid secretion. *Gastroenterology*, 120 (2001), 1363-1371.
59. **Nitschke,R.**, Henger,A., Ricken,C., Müller,V., Köttgen,M., Bek,M., Pavenstädt,H. Acetylcholine increases the free intracellular calcium concentration in podocytes in intact rat glomeruli via muscarinic M₅ receptors. *J.Am.Soc.Nephrol.*, 12 (2001), 678-687.
60. Schmitt-Gräff,A., **Nitschke,R.**, Wiedenmann,B. Gastroenteropankreatische neuroendokrine/endokrine Tumoren. *Der Pathologe*, 22 (2) (2001), 105-113.
61. Battle,T., Preisser,L., Marteau,V., Meduri,G., Lambert,M., **Nitschke,R.**, Brown,P., Corman,B. Vasopressin V1a receptor signalling in a rat choroid plexus (RCP) cell line. *Biochem.Biophys.Res.Commun.*, 275 (2000), 322-327.
62. Gordjani,N., Epting,T., Fischer-Riepe,P., Greger,R., Brandis,M., Leipziger,J., **Nitschke,R.** Cyclosporin-A induced effects on the free Ca²⁺ concentration in LLC-PK₁-cells and their mechanisms. *Pflugers Arch.*, 439 (2000), 627-633.
63. Kunzelmann,K., **Nitschke,R.** Defects in processing and trafficking of cystic fibrosis transmembrane conductance regulator. *Exp Nephrol*, 8 (2000), 332-342.

64. Kunzelmann,K., Schreiber,R., **Nitschke,R.**, Mall,M. Control of epithelial Na⁺ conductance by the cystic fibrosis transmembrane conductance regulator. ***Pflugers Arch.***, 440 (2000), 193-201.
65. Lohr,C., **Nitschke,R.** Use of the digital signal processor and acousto-optic tunable filters in ratiometric confocal calcium imaging. ***Microscopy Today***, 10 (2000), 17-18.
66. **Nitschke,R.**, Henger,A., Ricken,S., Gloy,J., Müller,V., Greger,R., Pavenstädt,H. Angiotensin II increases intracellular calcium activity in podocytes of the intact glomerulus. ***Kidney Int.***, 57 (2000), 41-49.
67. Unsöld,B., Kerst,G., Brouzos,H., Hübner,M., Schreiber,R., **Nitschke,R.**, Greger,R., Bleich,M. KCNE1 reverses the response of the human K⁺ channel KCNQ1 to cytosolic pH changes and it alters its pharmacology and sensitivity to temperature. ***Pflugers Arch.***, 441 (2000), 368-378.
68. Desfleurs,E., Wittner,M., Pajaud,S., **Nitschke,R.**, Rajerison,R.M., Di Stefano,A. The Ca²⁺-sensing receptor in the rabbit cortical thick ascending limb (CTAL) is functionally not coupled to phospholipase C. ***Pflugers Arch.***, 437 (1999), 716-723.
69. Heitzmann,D., Warth,R., Bleich,M., Henger,A., **Nitschke,R.**, Greger,R. Regulation of the Na⁺-2Cl⁻-K⁺ cotransporter in isolated rat colon crypts. ***Pflugers Arch.***, 439 (1999), 378-384.
70. Kerstan,D., Thomas,J., **Nitschke,R.**, Leipziger,J. Basolateral store-operated Ca²⁺-entry in polarized human bronchial and colonic epithelial cells. ***Cell Calcium***, 26 (1999), 253-260.
71. Rüdiger,F., Greger,R., **Nitschke,R.**, Henger,A., Mundel,P., Pavenstädt,H. Polycations induce calcium signaling in podocytes. ***Kidney Int.***, 56 (1999), 1700-1709.
72. Schreiber,R., **Nitschke,R.**, Greger,R., Kunzelmann,K. The cystic fibrosis transmembrane conductance regulator activates aquaporin 3 in airway epithelial cells. ***J.Biol.Chem.***, 274 (1999), 11811-11816.
73. Gloy,J., Henger,A., Fischer,K.-G., **Nitschke,R.**, Bleich,M., Mundel,P., Schollmeyer,P., Greger,R., Pavenstädt,H. Angiotensin II modulates cellular functions of podocytes. ***Kidney Int.***, 54 (1998), S-168-S-170
74. Jacobi,C., Leipziger,J., **Nitschke,R.**, Ricken,S., Greger,R. No evidence for cell-to-cell coupling in rat colonic crypts. Studies with Lucifer Yellow and with photobleaching. ***Pflugers Arch.***, 436 (1998), 83-89.
75. Kerstan,D., Leipziger,J., Gordjani,N., **Nitschke,R.**, Greger,R. Luminal addition of ATP induces K⁺ secretion via a P_{2Y2} receptor in rat distal colonic mucosa. ***Pflugers Arch.***, 436 (1998), 712-716.
76. Kunzelmann,K., Briel,M., Schreiber,R., Ricken,S., **Nitschke,R.**, Greger,R. No evidence for direct activation of the cystic fibrosis transmembrane conductance regulator by 8-cyclopentyl-1,3-dipropylxanthine. ***Cell.Physiol.Biochem.***, 8 (1998), 185-193.
77. Kunzelmann,K., Mall,M., Briel,M., Hipper,A., **Nitschke,R.**, Ricken,S., Greger,R. The cystic fibrosis transmembrane conductance regulator attenuates the endogenous Ca²⁺ activated Cl⁻ conductance of Xenopus oocytes. ***Pflugers Arch.***, 434 (1998), 178-181.
78. Ricken,S., Leipziger,J., Greger,R., **Nitschke,R.** Simultaneous measurements of cytosolic and mitochondrial Ca²⁺ transients in HT₂₉ cells. ***J.Biol.Chem.***, 273(52) (1998), 34961-34969.

79. Weyand,B., Warth,R., Bleich,M., Kerstan,D., **Nitschke,R.**, Greger,R. Hypertonic cell shrinkage reduces the K⁺ conductances of rat colonic crypts. ***Pflugers Arch.***, 436 (1998), 227-232.
80. Di Stefano,A., Desfleurs,E., Simeone,S., **Nitschke,R.**, Wittner,M. Ca²⁺ and Mg²⁺ sensor in the thick ascending limb of the loop of henle. ***Kidney Blood Press.Res.***, 20 (1997), 190-193.
81. Gloy,J., Henger,A., Fischer,K.-G., **Nitschke,R.**, Mundel,P., Bleich,M., Schollmeyer,P., Greger,R., Pavenstädt,H. Angiotensin II depolarizes podocytes in the intact glomerulus of the rat. ***J.Clin.Invest.***, 99 (1997), 2772-2781.
82. Henger,A., Huber,T., Fischer,K.-G., **Nitschke,R.**, Mundel,P., Schollmeyer,P., Greger,R., Pavenstädt,H. Angiotensin II increases the cytosolic calcium activity in rat podocytes in culture. ***Kidney Int.***, 52 (1997), 687-693.
83. Leipziger,J., Kerstan,D., **Nitschke,R.**, Greger,R. ATP increases [Ca²⁺]_i and ion secretion via a basolateral P2Y receptor in rat distal colonic mucosa. ***Pflugers Arch.***, 434 (1997), 77-83.
84. **Nitschke,R.**, Wilhelm,S., Borlinghaus,R., Bindels,R.J.M., Leipziger,J., Greger,R. A modified confocal laser scanning microscope allows fast ultraviolet ratio imaging of intracellular Ca²⁺ activity using fura-2. ***Pflugers Arch.***, 433 (1997), 653-663.
85. **Nitschke,R.**, Ricken,S., Leipziger,J., Greger,R. Coupling of InsP₃induced cytosolic and mitochondrial Ca²⁺ changes in HT₂₉ cells. ***Nova Acta Leopold***, 302 (1997), 163
86. **Nitschke,R.**, Benning,N., Ricken,S., Leipziger,J., Fischer,K.-G., Greger,R. Effect of intracellular pH on agonist-induced [Ca²⁺]_i transients in HT₂₉ cells. ***Pflugers Arch.***, 434 (1997), 466-474.
87. Raber,G., Willems,P.H.G.M., Lang,F., **Nitschke,R.**, Van Os,C.H., Bindels,R.J.M. Co-ordinated control of apical calcium influx and basolateral calcium efflux in rabbit cortical collecting system. ***Cell Calcium***, 22 (1997), 157-166.
88. Schreiber,R., Greger,R., **Nitschke,R.**, Kunzelmann,K. Cystic fibrosis transmembrane conductance regulator activates water conductance in *Xenopus* oocytes. ***Pflugers Arch.***, 434 (1997), 841-847.
89. Benning,N., Leipziger,J., Greger,R., **Nitschke,R.** Effect of alkalization of cytosolic pH by amines on intracellular Ca²⁺ activity in HT₂₉ cells. ***Pflugers Arch.***, 432 (1996), 126-133.
90. Fischer,K.-G., Leipziger,J., Rubini-Illes,P., **Nitschke,R.**, Greger,R. Attenuation of stimulated Ca²⁺ influx in colonic epithelial (HT₂₉) cells by cAMP. ***Pflugers Arch.***, 432 (1996), 735-740.
91. Leipziger,J., **Nitschke,R.**, Greger,R. Regulation of the intracellular calcium concentration in epithelial cells. ***Kidney Blood Press.Res.***, 19 (1996), 148-150.
92. Leipziger,J., Thomas,J., Rubini-Illes,P., **Nitschke,R.**, Greger,R. 8-(N,N-diethylamino)-octyl 3,4,5-trimethoxybenzoate (TMB-8) acts as a muscarinic receptor antagonist in the epithelial cell line HT29. ***Naunyn Schmiedebergs Arch.Pharmacol.***, 353 (1996), 295-301.
93. **Nitschke,R.**, Riedel,A., Ricken,S., Leipziger,J., Benning,N., Fischer,K.-G., Greger,R. The effect of intracellular pH on cytosolic Ca²⁺ in HT₂₉ cells. ***Pflugers Arch.***, 433 (1996), 98-108.

94. **Nitschke,R.**, Spring,K.R. Electro-optical wavelength selection enables confocal ratio imaging at low light levels. *J.Micro.Soc.Am.*, 1 (1995), 1-11.
95. Köttgen,M., Leipziger,J., Fischer,K.-G., **Nitschke,R.**, Greger,R. pH regulation in HT₂₉ colon carcinoma cells. *Pflugers Arch.*, 428 (1994), 179-185.
96. Klär,B., Leipziger,J., **Nitschke,R.**, Greger,R. Ca²⁺ as a second messenger in CFPAC-1 cells. *Cell.Physiol.Biochem.*, 3 (1993), 17-27.
97. **Nitschke,R.**, Leipziger,J., Greger,R. Agonist induced intracellular Ca²⁺ transients in HT₂₉ cells. *Pflugers Arch.*, 423 (1993), 519-526.
98. **Nitschke,R.**, Leipziger,J., Greger,R. Intracellular Ca²⁺ transients in HT₂₉ cells induced by hypotonic cell swelling. *Pflugers Arch.*, 423 (1993), 274-279.
99. Wolff,T., Leipziger,J., Fischer,K.-G., Klär,B., **Nitschke,R.**, Greger,R. Evidence for agonist-induced export of intracellular Ca²⁺ in epithelial cells. *Pflugers Arch.*, 424 (1993), 423-430.
100. Lohrmann,E., Mazereel,B., **Nitschke,R.**, Pirotte,B., Delarge,J., Greger,R. Action of diuretics at the cellular level. *Prog.Pharm.Clin.Pharmacol.*, 9 (1992), 23-32.
101. Leipziger,J., **Nitschke,R.**, Greger,R. Transmitter-induced changes in cytosolic Ca²⁺ activity in HT₂₉ cells. *Cell.Physiol.Biochem.*, 1 (1991), 273-285.
102. **Nitschke,R.**, Fröbe,U., Greger,R. Antidiuretic hormone acts via V₁ receptors on intracellular calcium in the isolated perfused rabbit cortical thick ascending limb. *Pflugers Arch.*, 417 (1991), 622-632.
103. Di Stefano,A., Wittner,M., **Nitschke,R.**, Braitsch,R., Greger,R., Bailly,C., Amiel,C., Roinel,N., Rouffignac de,C. Effects of parathyroid hormone and calcitonin on Na⁺, Cl⁻, K⁺, Mg²⁺ and Ca²⁺ transports in cortical and medullary thick ascending limbs of mouse kidney. *Pflugers Arch.*, 417 (1990), 161-167.
104. Di Stefano,A., Wittner,M., **Nitschke,R.**, Braitsch,R., Greger,R., Bailly,C., Amiel,C., Elalouf,J.M., Roinel,N., Rouffignac de,C. Effects of glucagon on Na⁺, Cl⁻, K⁺, Mg²⁺ and Ca²⁺ transports in cortical and medullary thick ascending limbs of mouse kidney. *Pflugers Arch.*, 414 (1989), 640-646.
105. **Nitschke,R.**, Schlatter,E., Eidelman,O., Lang,H.J., Englert,H.C., Cabantchik,Z.I., Greger,R. Piretanide-dextran and piretanide-polyethylene glycol interact with high affinity with the Na⁺ 2Cl⁻ K⁺ cotransporter in the thick ascending limb of the loop of Henle. *Pflugers Arch.*, 413 (1989), 559-561.
106. Wittner,M., Di Stefano,A., Wangemann,P., **Nitschke,R.**, Greger,R., Bailly,C., Amiel,C., Roinel,N., Rouffignac de,C. Differential effects of ADH on sodium, chloride, potassium, calcium and magnesium transport in cortical and medullary thick ascending limbs of mouse nephron. *Pflugers Arch.*, 412 (1988), 516-523.
107. Müller,H., **Nitschke,R.** Molecular weight determination of the two segments of double-stranded RNA of infectious bursal disease virus, a member of the birnavirus group. *Med.Microbiol.Immun.*, 176 (1987), 113-121.
108. Müller,H., **Nitschke,R.** The two segments of the infectious bursal disease virus genome are circularized by a 90,000-da protein. *Virology*, 159 (1987), 174-177.
109. Müller,H., **Nitschke,R.** A polyoma-like virus associated with an acute disease of fledgling budgerigars (*Melopsittacus undulatus*). *Med.Microbiol.Immun.*, 175 (1986), 1-13.

Other publications:

110. Hoffmann,K., Resch-Genger,U., **Nitschke,R.** Simple tool for the standardization of confocal spectral imaging systems. ***GIT, Imaging & Microscopy***, 3 (2005), 18-19.
111. Schmitt-Gräff,A., Ertelt,V., Allgaier,H.-P., Blum,H.E., **Nitschke,R.**, Kölbl,K. b-Catenin expression in hepatocellular carcinoma. ***Biovalley Newsletter***, 11 (2000), 31-33.
112. **Nitschke,R.**, Ricken,S. Two photon microscopy - The future of fluorescence microscopy? ***Zeiss Innovation***, (1999), 38-43.
113. **Nitschke,R.**, Fischer,H. Determination of the DNA base pair distance by direct length measurements. ***Magazine for Electron Microscopists***, 2 (1983), 10-16.